

WRONG PLACEMENT OF PAGE NUMBERS

Table 6
Logistic Regression Predicting Any Use of Alcohol to Help Stay Awake Longer, N = 927

| | Step 1: Age | | | Step 2: Age and chronotype | | | |
|--------------------------------|--|------|---------------------|---|------|--------|-------------------|
| | B | AOR | 95% CI for AOR | B | AOR | p | 95% CI for AOR |
| Constant | 0.13 | 1.14 | 0.07 | 0.10 | 1.10 | 0.54 | |
| Age | -0.05 | 0.95 | <0.001 [0.94, 0.97] | -0.05 | 0.96 | <0.001 | [0.94, 0.97] |
| Chronotype (ref. Morning Type) | | | | 0.03 | 1.03 | 0.88 | [0.72, 1.48] |
| Neither Type | | | | 0.06 | 1.06 | 0.79 | [0.70, 1.59] |
| Evening Type | | | | | | | |
| Model Statistics: | Model $\chi^2(1) = 82.98^{***}$ | | | Step $\chi^2(2) = 0.07, p = 0.96$ | | | |
| | Hosmer & Lemeshow: $\chi^2(8) = 9.63, p = 0.29$ | | | Hosmer & Lemeshow: $\chi^2(8) = 11.76, p = 0.16$ | | | |
| | Percentage correctly classified = 64.5 | | | Percentage correctly classified = 64.2 | | | |

Note. AOR = adjusted odds ratio; CI = confidence interval; ref. = referent.
 * $p < 0.05$. ** $p \leq 0.01$. *** $p \leq 0.001$.



(This is the default display in MS Word)

Table 7
Demographics for the day2day Sample, N = 52

| Demographics | Total | |
|---------------------------|-------|------|
| | n | % |
| Overall | 52 | 100 |
| Race and Ethnicity | | |
| Black | 18 | 34.6 |
| Latino | 14 | 26.9 |
| White | 11 | 21.2 |
| Multiracial/Other | 8 | 15.4 |
| Sexual Identity | | |
| Gay | 45 | 86.5 |
| Bisexual | 6 | 11.5 |
| Relationship Status | | |
| Single | 38 | 73.1 |
| Partnered | 13 | 25.0 |
| Income | | |
| Below \$30K | 31 | 59.6 |
| \$30K or above | 20 | 38.5 |
| Education | | |
| High school/GED or less | 9 | 17.3 |
| Some college | 28 | 53.8 |
| 4-year college degree | 9 | 17.3 |
| Graduate degree | 5 | 9.6 |
| | M | SD |
| Age (years; range: 22-67) | 38.7 | 10.2 |
| Years living with HIV | 10.8 | 6.8 |

Note. Percentages do not sum to 100 as data are missing for one participant

Landscape pages as they will appear to readers **on screen**

CORRECT PLACEMENT OF PAGE NUMBERS

Table 6
Logistic Regression Predicting Any Use of Alcohol to Help Stay Awake Longer, N = 927

| | Step 1: Age | | | | Step 2: Age and chronotype | | | |
|--------------------------------|----------------|------|--------|-------------------|-------------------------------|------|--------|-------------------|
| | B | AOR | p | 95% CI for AOR | B | AOR | p | 95% CI for AOR |
| Constant | 0.13 | 1.14 | 0.07 | | 0.10 | 1.10 | 0.54 | |
| Age | -0.05 | 0.95 | <0.001 | [0.94, 0.97] | -0.05 | 0.96 | <0.001 | [0.94, 0.97] |
| Chronotype (ref. Morning Type) | | | | | | | | |
| Neither Type | | | | | 0.03 | 1.03 | 0.88 | [0.72, 1.48] |
| Evening Type | | | | | 0.06 | 1.06 | 0.79 | [0.70, 1.59] |

Model Statistics: Model $\chi^2(1) = 82.98^{***}$ Step $\chi^2(2) = 0.07, p = 0.96$
 Hosmer & Lemeshow: $\chi^2(8) = 9.63, p = 0.29$ Hosmer & Lemeshow: $\chi^2(8) = 11.76, p = 0.16$
 Percentage correctly classified = 64.5 Percentage correctly classified = 64.2

Note. AOR = adjusted odds ratio; CI = confidence interval; ref. = referent.
^{*} $p < 0.05$, ^{**} $p \leq 0.01$, ^{***} $p \leq 0.001$.

§

Table 7
Demographics for the day2day Sample, N = 52

| Demographics | Total | |
|---------------------------|-------|------|
| | n | % |
| Overall | 52 | 100 |
| Race and Ethnicity | | |
| Black | 18 | 34.6 |
| Latino | 14 | 26.9 |
| White | 11 | 21.2 |
| Multiracial/Other | 8 | 15.4 |
| Sexual Identity | | |
| Gay | 45 | 86.5 |
| Bisexual | 6 | 11.5 |
| Relationship Status | | |
| Single | 38 | 73.1 |
| Partnered | 13 | 25.0 |
| Income | | |
| Below \$30K | 31 | 59.6 |
| \$30K or above | 20 | 38.5 |
| Education | | |
| High school/GED or less | 9 | 17.3 |
| Some college | 28 | 53.8 |
| 4-year college degree | 9 | 17.3 |
| Graduate degree | 5 | 9.6 |
| | M | SD |
| Age (years; range: 22-67) | 38.7 | 10.2 |
| Years living with HIV | 10.8 | 6.8 |

Note. Percentages do not sum to 100 as data are missing for one participant

100

Rotated text direction and moved to margin

Landscape pages as they will appear to readers on screen

But why?

WRONG PLACEMENT OF PAGE NUMBERS

BINDING

Table 6
Logistic Regression Predicting Any Use of Alcohol to Help Stay Awake Longer, N = 927

| Covariate | Step 1: | | | Step 2: | | |
|------------------------------|---------|------|----------|---------|------|----------|
| | B | AOR | <i>p</i> | B | AOR | <i>p</i> |
| Age | 0.13 | 1.14 | 0.07 | 0.10 | 1.10 | 0.54 |
| Weekdays (ref. Morning Type) | -0.05 | 0.95 | <0.001 | -0.05 | 0.96 | <0.001 |
| Weekends (ref. Morning Type) | | | | 0.03 | 1.03 | 0.88 |
| Evening Type | | | | 0.06 | 1.06 | 0.79 |

Model Statistics: Model $\chi^2(1) = 82.988^{***}$
Hosmer & Lemeshow: $\chi^2(8) = 0.63, p = 0.29$
Percentage correctly classified = 64.5

Note: AOR = adjusted odds ratio; CI = confidence interval; ref. = referent.
p* < 0.05. *p* < 0.01. ****p* < 0.001.

Table 7

Demographics for the day2day Sample, N = 52

| Demographics | Total | |
|---------------------------|----------|-----------|
| | n | % |
| Overall | 52 | 100 |
| Race and Ethnicity | | |
| Black | 18 | 34.6 |
| Latino | 14 | 26.9 |
| White | 11 | 21.2 |
| Multiracial/Other | 8 | 15.4 |
| Sexual Identity | | |
| Gay | 45 | 86.5 |
| Bisexual | 6 | 11.5 |
| Relationship Status | | |
| Single | 38 | 73.1 |
| Partnered | 13 | 25.0 |
| Income | | |
| Below \$30K | 31 | 59.6 |
| \$30K or above | 20 | 38.5 |
| Education | | |
| High school/GED or less | 9 | 17.3 |
| Some college | 28 | 53.8 |
| 4-year college degree | 9 | 17.3 |
| Graduate degree | 5 | 9.6 |
| | <i>M</i> | <i>SD</i> |
| Age (years; range: 22-67) | 38.7 | 10.2 |
| Years living with HIV | 10.8 | 6.8 |

Note: Percentages do not sum to 100 as data are missing for one participant

This is the default display in MS Word. In a bound copy, the page numbers would appear on the side of the printed page.

Landscape pages as they will appear in a print copy

CORRECT PLACEMENT OF PAGE NUMBERS

BINDING

Table 6
Logistic Regression Predicting Any Use of Alcohol to Help Stay Awake Longer, N = 927

| | Step 1: | | | Step 2: | | |
|---------------------------------|---------|------|--------|---------|------|--------|
| | B | AOR | p | B | AOR | p |
| Constant | 0.13 | 1.14 | 0.07 | 0.10 | 1.10 | 0.54 |
| Age | -0.05 | 0.95 | <0.001 | -0.05 | 0.96 | <0.001 |
| Time of Day (ref. Morning Type) | | | | | | |
| Evening Type | 0.03 | 1.03 | 0.88 | 0.03 | 1.03 | 0.88 |
| Night Owl Type | 0.06 | 1.06 | 0.79 | 0.06 | 1.06 | 0.79 |

Model Statistics: Model $\chi^2(1) = 82.298^{***}$
Hosmer & Lemeshow: $\chi^2(8) = 9.65, p = 0.29$
Percentage correctly classified = 64.5

Step $\chi^2(2) = 0.07, p = 0.96$
Hosmer & Lemeshow: $\chi^2(8) = 11.76, p = 0.16$
Percentage correctly classified = 64.2

Note. AOR = adjusted odds ratio; CI = confidence interval; ref. = referent.
* $p < 0.05$. ** $p < 0.01$. *** $p < 0.001$.

Table 7
Demographics for the day2day Sample, N = 52

| Demographics | Total | |
|---------------------------|-------|------|
| | n | % |
| Overall | 52 | 100 |
| Race and Ethnicity | | |
| Black | 18 | 34.6 |
| Latino | 14 | 26.9 |
| White | 11 | 21.2 |
| Multiracial/Other | 8 | 15.4 |
| Sexual Identity | | |
| Gay | 45 | 86.5 |
| Bisexual | 6 | 11.5 |
| Relationship Status | | |
| Single | 38 | 73.1 |
| Partnered | 13 | 25.0 |
| Income | | |
| Below \$30K | 31 | 59.6 |
| \$30K or above | 20 | 38.5 |
| Education | | |
| High school/GED or less | 9 | 17.3 |
| Some college | 28 | 53.8 |
| 4-year college degree | 9 | 17.3 |
| Graduate degree | 5 | 9.6 |
| | M | SD |
| Age (years; range: 22-67) | 38.7 | 10.2 |
| Years living with HIV | 10.8 | 6.8 |

Note. Percentages do not sum to 100 as data are missing for one participant

Rotated text direction and moved to margin

Landscape pages as they will appear in a print copy